

Write down the laws:

1

2

3

$$F = ma$$

Example: What force causes a 4.0 kg object to accelerate at 6.0 m/s/s?
(Write down as well the base units of a Newton)

Example: A 2.1 kg hammer accelerates from rest under the influence of a net force of 120 N. What is its final velocity if the force is exerted over a distance of 78 cm

(Whiteboards on the back)

Try these example problems. If you can't get the answer on your own watch the video. Use your calculator.

<p>1. What unbalanced force causes a 892 g object to accelerate at -9.81 m/s/s? (-8.75 N)</p>	<p>2. What is the acceleration of a 12 kg object if you exert 37 N of unbalanced force on it? (3.1 m/s/s)</p>
<p>3. What is the mass of an object if when there is a 128 N net force acting on it, it accelerates at 3.7 ms^{-2}? (35 kg)</p>	<p>4. A 16 kg object going 23 ms^{-1} is stopped by a force in 0.125 s. What force? (-2944 N)</p>
<p>5. A 3.84 kg object going 42.0 ms^{-1} experiences a force of -23.5 N for 2.60 s. What is the final velocity of the object? (26.1 m/s)</p>	<p>6. A 143 gram baseball going 39 m/s caught by the catcher. In stopping, the baseball travels 7.5 cm. What is the average force exerted on the ball? (-1450 N)</p>

Mass

Weight

Example: What is the weight of a 5.0 kg mass on earth?

Try these example problems. Don't freak out if you can't immediately get the answer. We will work on these as a group in class. They are solved in the linked videos that follow the main one

1. What is the weight of a 20.3 gram European Swallow? (0.199 N)	2. What is the mass of an object that weighs 582 N on earth? (59.3 kg)
--	--



3. A 62.0 kg person weighs 101 N on the moon. What is the moon's "g"? (1.63 N/kg)

Noteguide for Net Force - Videos 4D (keep)

Name _____

Steps:

- 1.
- 2.
- 3.



Try these example problems. If you don't get the answer, watch the video to see how.

<p>1. Find the acceleration:</p> <p>A free-body diagram showing a red square block labeled "5.0 kg". Two horizontal arrows originate from the center of the block: one pointing to the left labeled "3.0 N" and one pointing to the right labeled "7.0 N". To the right of the block, the text "(0.80 m/s/s)" is written.</p>	<p>2. Find the acceleration:</p> <p>A free-body diagram showing a red square block labeled "23.0 kg". Three horizontal arrows originate from the center of the block: one pointing to the left labeled "3.0 N", one pointing to the left labeled "6.0 N", and one pointing to the right labeled "5.0 N". To the right of the block, the text "(-0.17 m/s/s)" is written.</p>
<p>3. Find the other force:</p> <p>A free-body diagram showing a red square block labeled "452 kg". One horizontal arrow originates from the center of the block pointing to the right labeled "67.3 N". Above the block, the text "F = ??", "452 kg", and "67.3 N" are written. Below the block, the text "a = 0.12 m/s/s to the right (-13 N)" is written.</p>	<p>4. Find the other force:</p> <p>A free-body diagram showing a red square block labeled "2100 kg". Three horizontal arrows originate from the center of the block: one pointing to the left labeled "125 N", one pointing to the right labeled "580 N", and one pointing to the left labeled "F ???". Above the block, the text "F ???", "2100 kg", and "580 N" are written. Below the block, the text "a = 0.15 m/s/s to the left (-770 N)" is written.</p>

Example 1

A 5.0 kg mass hangs on a string with a tension of 65 N. What is the acceleration of the mass?

5.0 kg

Example 2

A 510 kg elevator accelerates downwards at 1.5 m/s/s. What is the tension in the cable supporting it?

510 kg

Example 3

A 1350 kg elevator moving downwards at 5.31 m/s arrests its motion in 2.10 seconds. What is the tension in the elevator as it stops?

1350 kg

(Do the whiteboards on the back)

Try to do these without looking at the video, but if you get stuck, watch the video until you get unstuck, and do it from there.


<p>1. A 314 kg elevator accelerates upward 4.7 m/s^2. What is the tension in the cable supporting it? (4553 N)</p>	<p>2. A 314 kg elevator accelerates downward at 2.7 m/s^2. What is the tension in the cable supporting it? (2229.4 N)</p>
<p>3. A 10.0 kg mass hangs on a string with a tension of 126 N, what is its acceleration? (+2.8 m/s/s upwards)</p>	<p>4. A 10.0 kg mass hangs on a string with a tension of 52.0 N, what is its acceleration? (-4.6 m/s/s downwards)</p>
<p>5. A 62 kg climber falling at 9.4 m/s has their downward motion arrested in a distance of 5.3 m. What is the tension on the rope if the acceleration is uniform? (1124.4 N)</p>	<p>6. A 1420 kg elevator is moving upwards at 4.1 m/s and stops in 1.7 s. What is the tension in the cable supporting the elevator as it stops? (10,491.3 N)</p>

Friction Noteguide Videos 4F (keep)

Name _____

Friction - Force needed to drag one object across another. (At a constant velocity):

Depends on:



Not supposed to depend on:

Table from the book:

Surfaces	Coefficient of Static Friction, μ_s	Coefficient of Kinetic Friction, μ_k
Wood on wood	0.4	0.2
Ice on ice	0.1	0.03
Metal on metal (lubricated)	0.15	0.07
Steel on steel (unlubricated)	0.7	0.6
Rubber on dry concrete	1.0	0.8
Rubber on wet concrete	0.7	0.5
Rubber on other solid surfaces	1-4	1
Teflon® on Teflon in air	0.04	0.04
Teflon on steel in air	0.04	0.04
Lubricated ball bearings	<0.01	<0.01
Synovial joints (in human limbs)	0.01	0.01

¹Values are approximate and are intended only as a guide.

Kinetic Friction - Force needed to **kee**p it going at a constant velocity. (AKA Kinetic friction)

$$F_F = \mu_k F_N$$

Always in opposition to velocity (direction it is sliding)

Static Friction - Force needed to **sta**rt motion.

$$F_F \leq \mu_s F_N$$

Keeps the object from moving if it can.

Only relevant when object is stationary.

Always in opposition to applied force.

Calculated value is a maximum

TABLE 4-2 Coefficients of Friction†

Surfaces	Coefficient of Static Friction, μ_s	Coefficient of Kinetic Friction, μ_k
Wood on wood	0.4	0.2
Ice on ice	0.1	0.03
Metal on metal (lubricated)	0.15	0.07
Steel on steel (unlubricated)	0.7	0.6
Rubber on dry concrete	1.0	0.8
Rubber on wet concrete	0.7	0.5
Rubber on other solid surfaces	1-4	1
Teflon® on Teflon in air	0.04	0.04
Teflon on steel in air	0.04	0.04
Lubricated ball bearings	<0.01	<0.01
Synovial joints (in human limbs)	0.01	0.01

†Values are approximate and are intended only as a guide.

Try these Whiteboards - watch the video if you can't get them.

<p>1. What force is needed to start to slide a 45.0 block of rubber across dry concrete? (441 N)</p>	<p>2. What force is needed to continue to slide a 32.0 block of wood across a wood floor? (62.7 N)</p>
<p>3. What force is needed to begin sliding a 921 kg block of ice across a frozen lake? What force will it then take to keep it sliding? (903 N, 271 N)</p>	<p>4. What force is needed to begin sliding a 2350 kg car across wet concrete? (16,121 N)</p>
<p>5. What is the mass of ice you have if it takes 12.0 N of force to slide it at a constant speed across ice? (40.8 kg)</p>	<p>6. You have a 2.1 kg block of plastic and it takes you 8.65 N of force to slide it at a constant speed across your Formica table. What is the coefficient of friction? (0.42)</p>

